

TANDBERG STORAGECAB 6000

STORAGECAB



StorageCab 6000 eRAID

Product Highlights

- Up to 4,5 TB native capacity
- Includes Microsoft® Storage Server 2003 R2
- Enterprise S-ATA hard disks, certified for 24/7 usage
- File sharing, storage consolidation, replication, backup and recovery
- Industry standard 2U form factor enclosure for simple rack integration
- High-performance processors and components to guarantee maximum performance and reliability
- Dual Gigabit Ethernet and optional native Fibre Channel or SCSI interface
- 3 years warranty, 1 year Advanced Replacement Service (component level)

NETWORK ATTACHED STORAGE FOR SMALL AND MEDIUM BUSINESSES

Tandberg Data offers quality, reliability and performance in one NAS device. The second generation StorageCab provides superior hardware and software to ensure your business runs smoother and faster than ever.

Storage Solutions

With today's growing requirements for faster access and higher capacity data storage, the StorageCab 6000 is an essential element of your storage environment. The intelligent OS software will let you store and secure your data faster than ever. Tandberg Data's StorageCab 6000 offers high performance and is extremely reliable. Experience a whole new level of data accessibility and backup and restore speed when combining the SC6000 with a Tandberg Data tape automation device.

Windows® Storage Server 2003 R2

Microsoft's latest storage operating system brings highest reliability, availability and fast data recovery to SMB customers. Even features like replication, volume shadow copies or Multipath I/O (MPIO) support for improved availability and load balancing are integrated.

Moreover the Storage Server 2003 R2 provides the lowest Total Cost of Ownership (TCO) of all storage-related operating systems. The low acquisition and installation costs as well as the scalability make this the SMB market.

Five reasons to select the Tandberg StorageCab 6000

■ Upgradeable and scalable

Using a state-of-the-art S-ATA/SAS backplane and the latest HDDs it is easier than ever to upgrade and scale the capacity.

■ Fast and easy Set-Up

Tandberg's StorageCab 6000 is based on Microsoft's Windows Storage Server 2003 R2. This allows fast and easy integration of the new NAS device into existing environments.

■ Connectivity

The StorageCab 6000 is the ideal extension for any Tandberg Data tape or tape automation device. The optional SCSI or Fibre Channel interface card you will easily link the NAS device to your existing tape systems and provide full control.

■ Budget - Friendly

By centralising resources and reduction of IT staff hours, the StorageCab 6000 offers extremely low Total Cost of Ownership (TCO).

■ Reliability by Tandberg Data

Tandberg Data provides a full range of storage devices. From single tape drives to NAS devices, Tandberg Data offers highest degree of quality and reliability.



About Tandberg Data

Tandberg Data is a leading global supplier and manufacturer of tape drives, tape automation and disk sub-systems. Tandberg Data offers solutions based on the LTO™, SLR™ and VXA™ tape technology platforms, storage software, media and disk-based storage. All solutions are designed to meet the growing storage requirements of small and medium-sized organisations with scalability, reliability and backward compatibility features that ensure cost effective operation and long-term investment protection. Tandberg Data has been proudly servicing its customers for over 25 years, and customer service is fundamentally important to Tandberg Data.

Specification

Hardware configuration	
System	
Processor:	Intel Pentium 4 531 (3,0GHz)
Chipset:	Intel® 3000 Server Chipset
System Bus Speed:	800/1066 MHz
PCI Buses:	6
Total Slots:	5 (not all available with StorageCab 6000 2U configurations)
Slot Types:	1x PCI Express* 1x PCI-X 64-bit/133MHz 2x PCI 32-bit/33MHz 1x Intel® Adaptive Slot PCI Express*or PCI-X 64-bit/133MHz
Integrated LAN:	2x Intel® Gigabit Ethernet connections with iAMT support
Memory Capacity:	Dual memory-channel, 4 DIMM slots for DDR2 533/667MHz, Unbuffered ECC/ non-ECC DIMMs (8GB max.)
Drives:	DVD +-RW drive
USB:	2x USB 2.0 (front access)
RAID Controller	
Form Factor:	eRAID Low profile
Port Count:	8 S-ATA II
Host Interface:	PCI-Express x4
Host Interface Speed:	64-bit/133MHz
Onboard Memory:	256MB
Harddisks (Storage)	
Storage Disks (max.):	eRAID 6
OS Disks:	2
Classification:	Enterprise 24x7
Capacity:	400GB/750GB
Interface:	SATA 3Gb/s
Spindle Speed:	7.200 RPM
Average Seek Time:	8,5 / 9,5 msec
Reliability Rating at Full 24x7 Operation:	0,73% AFR
Cache, Multisegmented:	16MB
Enclosure	
Backplane:	SAS/SATA
Form Factor:	2U Rackmount
Dimension (D×W×H):	660 mm x 430 mm x 89 mm / 26" x 16.9" x 3.5"
Weight (chassis only)	11,1 Kg
Software	
Operating System:	Microsoft Windows® Storage Server 2003 R2
Warranty	
Warranty:	3 years
Service:	1 year Advanced Replacement Service*



Model numbers

- 2390 7040 00 Tandberg StorageCab 6000 - 1,6TB (4x400GB) iRAID, Storage Server 2003 R2
- 2390 7041 00 Tandberg StorageCab 6000 - 2,4TB (6x400GB) eRAID, Storage Server 2003 R2
- 2390 7042 00 Tandberg StorageCab 6000 - 4,5TB (6x750GB) eRAID, Storage Server 2003 R2

Options

- 0043 7043 CPU upgrade Intel Xeon D3040 1,86
- 0043 7044 Memory upgrade 1.024MB
- 0043 7045 Redundant PSU (2x 500W) Upgrade Kit
- 0043 7046 800GB (2x400GB) HDD Upgrade Kit
- 0043 7047 FibreChannel upgrade kit (powered by QLogic)
- 0043 7048 SCSI upgrade kit (powered by LSILogic)

Tandberg Data ASA
Kjelsåsveien 161
0411 Oslo
Norway

Tandberg Data UK Ltd.
Bloxham Mill Business Park
Barford Road
Bloxham – Banbury
Oxfordshire
OX15 4FF
United Kingdom

Tandberg Data GmbH
Feldstrasse 81
44141 Dortmund
Germany

Tandberg Data S.A.
16-18, av. Morane Saulnier
Bât.A
78941 Vélizy Cedex
France

Tandberg Data Corp.
12860 Danielson Court
Poway, CA 92064
USA

Tandberg Data (Japan) Inc.
Eitaibashi Eco-Piazza Bldg.
8th floor
29-13, Shinkawa 1-chome,
Chuo-ku
Tokyo 104-033
Japan

Tandberg Data (Asia)
Pte-Ltd
20 Bendemeer Road
#04-05 Cyberhub
Singapore 339914

T +47 (0) 2218 9090
F +47 (0) 2218 9550

T +44 (0) 8450 706 916
F +44 (0) 1865 487 203

T +49 (0) 231 5436 - 0
F +49 (0) 231 5436 - 111

T +33 (0) 1 39 26 01 01
F +33 (0) 1 34 65 02 89

T +1 858 726 1800
F +1 858 726 1801

T +81 (0) 355 662 871
F +81 (0) 355 662 875

T +65 (0) 6396 0786
F +65 (0) 6396 0787

Specifications subject to change without notice. © 2006 TANDBERG DATA. All rights reserved. DS-2006-ENG-12-0006